



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :  
**G06F 17/21, G06T 11/00, G06F 17/60**

**A1**

(11) International Publication Number: **WO 97/45797**

(43) International Publication Date: 4 December 1997 (04.12.97)

(21) International Application Number: PCT/US96/14299

(22) International Filing Date: 1 October 1996 (01.10.96)

(30) Priority Data:  
08/658,894 31 May 1996 (31.05.96) US

(71) Applicant: MINNESOTA MINING AND MANUFACTURING COMPANY [US/US]; 3M Center, P.O. Box 33427, Saint Paul, MN 55133-3427 (US).

(72) Inventor: EISENBERG, Peter, M.; P.O. Box 33427, Saint Paul, MN 55133-3427 (US).


(74) Agents: PETERS, Carolyn, V. et al.; Minnesota Mining and Manufacturing Company, Office of Intellectual Property Counsel, P.O. Box 33427, Saint Paul, MN 55133-3427 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

**Published**

*With international search report.*

(54) Title: SOFTWARE NOTES DESIGNING



(57) Abstract

Sticky back notes may be designed in a region displayed by a monitor of a data processing system. The region may be a window which contains a layout area, a note design area, and a sample area. The layout area may have a plurality of note cells, wherein each note cell corresponds to a note to be designed and printed on a sheet of sticky back notes. The note design area is an area where a note may be designed. The sample area contains a sample note which may be imported to the note design area and/or to a note cell of the layout area during the design of notes to be printed on the sheet of sticky back notes.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## SOFTWARE NOTES DESIGNING

### Technical Field of the Invention

The present invention relates to a program which facilitates a user in the design  
5 of notes such as sticky-back paper Post-it® notes.

### Background of the Invention

Sticky-back notes, such as Post-it® notes, are popularly used for a wide variety  
of purposes. These notes are offered commercially to users in a variety of colors and  
10 with a variety of graphical and/or textual designs. The designs of notes, however, are  
essentially fixed as far as users are concerned because the designs are produced by note  
suppliers and because users have basically no facility permitting them to create their  
own note designs for sticky back notes.

By contrast, there is currently on the market a program which permits users to  
15 create their own address label designs. Upon execution of this program, a user is  
presented with a user selectable template having a plurality of address label cells. This  
template corresponds to a sheet of address labels which may be fed into, and printed  
by, a printer. Accordingly, each address label cell of the template corresponds to an  
address label on the sheet. The program also contains a plurality of sample address  
20 label designs which may be used to fill in the address label cells on the template.  
However, in order to select a sample address label, the user must exit the template  
screen and then choose a file name of a selected sample from a directory. Thus, the  
sample address label designs and the template are not simultaneously displayed to the  
users. Moreover, graphical and textual material of the sample address label designs  
25 may not be dragged together to the template.

There are also currently on the market drawing and flow chart programs which  
permit users to design their own drawings and flow charts. Upon execution of such a  
program, a user is presented with a design area in which a flow chart may be designed.  
The user is also presented with a sample area in which various sample graphical  
30 designs are offered to the users. These sample graphical designs may be dragged to  
the design area during design of a flow chart. However, these flow chart programs do  
not also present a template area similar to the template area presented by the address

label program described above. Moreover, although a sample graphical design may be dragged from the sample area to the design area, a flow chart design may not be dragged to the design area, and graphical and textual material may not be dragged together to the design area. Furthermore, in neither the drawing and flow chart programs nor the address label design programs described above may new designs of the user be imported into a sample area or sample file.

There are other programs currently on the market which permit users to design their own checks, business cards, and the like. However, these programs are as inflexible as currently known address labels design programs and drawing and flow chart programs.

The present invention overcomes one or more of the problems discussed above.

### Summary of the Invention

In one aspect of the present invention, a method of designing notes comprises the steps, performed by a data processing system, of (i) executing program code in the data processing system so that a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a note to be designed, (ii) executing program code in the data processing system so that a design area is displayed with the layout area, wherein the design area is an area where a note may be designed, and (iii) executing program code in the data processing system so that a sample area is displayed with the layout area and the design area, wherein the sample area contains a sample note.

In another aspect of the present invention, a method of designing notes comprises the steps, performed by a data processing system, of (i) executing program code in the data processing system so that a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a note to be designed, (ii) executing program code in the data processing system so that a design area is displayed with the layout area, wherein the design area is an area where a not may be designed, and (iii) executing program code in the data processing system so that a note design may be imported between the design area and a note cell of the layout area.

In yet another aspect of the present invention, a method of designing notes comprises the steps, performed by a data processing system, of (i) executing program code in the data processing system so that a sample area is displayed, wherein the sample area contains a sample note, wherein the sample note has first and second  
5 elements, and wherein the first and second elements are different, (ii) executing program code in the data processing system so that a design area is displayed with the sample area, wherein the design area is an area where a note may be designed, and (iii) executing program code in the data processing system so that the first and second elements are dragged together from the sample area to the design area.

10 In still another aspect of the present invention, a method of designing notes comprises the steps, performed by a data processing system, of (i) executing program code in the data processing system so that a sample area is displayed, wherein the sample area contains sample notes, (ii) executing program code in the data processing system so that a design area is displayed with the sample area, wherein the design area  
15 is an area where a note may be designed by a user, and (iii) executing program code in the data processing system so that a user designed note design is imported to the sample area to become a sample note.

In a still further aspect of the present invention, an article of manufacture comprises a computer readable storage medium and program code stored on the  
20 computer readable storage medium, wherein the program code is arranged so that, when the program code is executed, (i) a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a note to be designed, (ii) a design area is displayed with the layout area, wherein the design area is an area where a note may be designed, (iii) and a sample area is displayed with the  
25 layout area and the design area, wherein the sample area contains a sample note.

In another aspect of the present invention, a computer readable storage medium has program code stored thereon, wherein the program code is arranged so that, when the program code is executed, (i) a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a  
30 note to be designed, (ii) a design area is displayed with the layout area, wherein the design area is an area where a note may be designed, (iii) and a note design may be imported between the design area and a note cell of the layout area.

In yet another aspect of the present invention, an article of manufacture comprises a computer readable storage medium and program code stored on the computer readable storage medium, wherein the program code is arranged so that, when the program code is executed, (i) a sample area is displayed, wherein the sample area contains a sample note, wherein the sample note has first and second elements, and wherein the first and second elements are different, (ii) a design area is displayed with the sample area, wherein the design area is an area where a note may be designed, and (iii) the first and second elements are dragged together from the sample area to the design area.

In still another aspect of the present invention, a computer readable storage medium has program code stored thereon, wherein the program code is arranged so that, when the program code is executed, (i) a sample area is displayed, wherein the sample area contains sample notes, (ii) a design area is displayed with the sample area, wherein the design area is an area where a note may be designed by a user, and (iii) a user designed note design is imported to the sample area to become a sample note.

In still another aspect of the present invention, a computer readable storage medium has program code stored thereon, wherein the program code is arranged so that, when the program code is executed, (i) first and second areas are displayed, (ii) the first area has multiple elements therein, (iii) the second area has multiple elements therein, (iv) the first area is arranged so that all elements in the first area can be selected only as a group, and (iv) the second area is arranged so that the elements in the first area can be selected individually.

#### **Brief Description of the Drawing**

These and other features and advantages will become more apparent from a detailed consideration of the invention when taken in conjunction with the drawing in which:

Figure 1 is a block diagram of a data processing system which can be configured in accordance with the present invention;

Figures 2 - 6 are representations of screen displays illustrating the design of notes as implemented by the present invention;

Figures 7 - 10 are flow diagrams of the present invention; and

Figure 11 illustrates an exemplary sheet of notes which may be printed with the notes designed by use of the present invention.

### Detailed Description

One possible operating environment of the present invention is a data processing system, such as a data processing system 100 shown in Figure 1. The data processing system 100, for example, may be a personal computer or work station which includes a processor 102, one or more display terminals 104, and one or more input devices 106. The display terminals 104 may include, for example, a monitor 104a having a viewing screen, a printer 104b, and/or the like. The input devices 106 may include, for example, a mouse, a keyboard, and/or similar devices.

The processor 102 includes a central processing unit (CPU) 108 which communicates with the display terminals 104 and the input devices 106 through an input/output controller 110, and which processes program code stored in a memory 112. The program code stored in the memory 112 includes, at least in part, an operating system 114, various application programs 116, and a note design program 118. The application programs 116 may include word processing programs, spread sheet programs, and the like. The note design program 118 is executed by the processor 102 in order to perform the functions of the present invention. The note design program 118 may contain defaults for page layouts, page color, font attributes, and the like.

When a user enters the note design program 118, a screen display 200, as illustrated in Figure 2, is presented. The screen display 200 includes a region preferably, although not necessarily, in the form of a window 202. The window 202 contains a note design area 204, a layout area 206, and a sample area 208. The note design area 204 may contain a note cell and may be used by the user for designing or customizing a note within the note cell of the design area 204.

The layout area 206 contains a layout window 210 having a plurality of note cells 211 laid out thereon in a format representing a sheet of notes which may be fed to the printer 104b. When a print instruction is sent to the printer 104b, the printer 104b prints, on the sheet of notes supplied thereto, the corresponding notes in the note cells 211 as designed by use of the note design program 118. The layout window 210

currently displayed in the layout area 206 presents six note cells 211 to the user as shown in Figure 2.

The sample area 208 contain sample notes which may be imported into the note design area 204 and into one or more of the note cells 211 of the layout window 210 displayed in the layout area 206. Because the note design area 204 and the layout area 206 are functionally linked by the note design program 118, a note which is imported to one of these two areas is also imported to the other of these two area. Thus, if a note is imported to the design area 204, it is also imported to an active cell in the layout area 206, and if a note is imported to a cell of the layout area 206, the note is also imported to the note design area 204.

In order to travel through the sample notes displayed in the sample area 208, the window 202 may contain a scroll bar 212 with arrows which may be operated, for example, by a mouse in order to present additional sample notes to the user. In addition, the sample area 208 may be used to present clip art to the user. Clip art differs from sample notes in that each clip art is a single element whereas a sample note may contain multiple elements. Accordingly, clip art may be imported as individual graphical symbols from the sample area 208 into the note design area 204 and the note cells of the layout window 210 displayed in the layout area 206 while a user customer designs notes. This clip art is accessible by operating the scroll bar 212.

A sample note in the sample area 208 can be imported to the note design area 204 and a selected cell in the layout area 206 in any number of ways. One way of importing a sample note from the sample area 208 to the note design area 204 and a selected cell in the layout area 206 is to move a mouse cursor over a sample note in the sample area 208, grab the selected sample note (e.g., by depressing and holding the mouse button) in order to select the sample note, drag the selected sample note to the selected cell in the layout area 206 by use of the mouse, and drop the selected sample note (e.g., by releasing the mouse button) into the selected cell in the layout area 206. In this way, a copy of the selected sample note appears in both the selected cell in the layout area 206 and the note design area 204, and the original of the selected sample note remains in the sample area 208. When the sample note is grabbed, dragged, and dropped in this manner, all elements (such as text and graphic elements) are likewise



grabbed, dragged, and dropped. Thus, all elements of the sample note are imported together into both the selected cell in the layout area 206 and the note design area 204.

Alternatively, a sample note in the sample area 208 may be imported to both the selected cell in the layout area 206 and the note design area 204 by clicking on the  
5 selected cell in the layout area 206 (i.e., by positioning a mouse cursor over the selected cell in the layout area 206 and by clicking the mouse button). A sample note in the sample note area 208 may then be selected by double clicking on the selected sample note (i.e., by positioning a mouse cursor over the selected sample note and by double clicking the mouse button). Upon double clicking on the selected sample note,  
10 a copy of the selected sample note is imported into both the selected cell in the layout area 206 and the note design area 204, and the original of the selected sample note remains in the sample area 208. Again, all elements of the selected sample note are imported together to both the selected cell in the layout area 206 and the note design area 204.

15 Accordingly, separate manipulations are not necessary in order to import all elements of a sample note to the selected cell in the layout area 206 and the note design area 204. Operations other than grabbing, dragging, and/or clicking (such as copy and paste) may be implemented in order to import a sample note to the selected cell in the layout area 206 and the note design area 204.

20 The selected note appearing in both the note design area 204 and in the layout window 210 may be customized in the note design area 204, if desired. A pair of arrows in Figure 2 illustrate the selection by a user of a sample note from the sample area 208 and the importation of that note to both the note design area 204 and to a note cell 211 of the layout window 210 displayed in the layout area 206.

25 Accordingly, as shown by a screen display 300 in Figure 3, the selected note appears both in the note design area 204 and in the selected note cell of the layout window 210 displayed in the layout area 206 as a result of importing the selected sample note from the sample area 208 to the selected note cell of the layout window 210 displayed in the layout area 206. As shown by the arrows in Figure 3, the menu  
30 and button bar 214 may be used to add text and/or graphics to the note which appears in the note design area 204. Thus, even though a sample note is imported from the

sample area 208, this note may be customized by use of the menus and tool buttons in the menu and button bar 214.

As illustrated in Figure 3 by way of example, the user has inserted a graphical symbol in the form of a personal computer, and the user has also inserted a text box.

5 These elements, i.e., the graphical symbol and the text box, may be inserted into the note design in the note design area 204 individually. Also, these elements, i.e., the graphical symbol and the text box, may be manipulated once they appear in the note design area 204. As shown in Figure 3, because the note design area 204 and the layout area 206 are functionally linked by the note design program 118, any action  
10 taken in the note design area 204 (such as the insertion of text and/or graphics) is reflected in the corresponding note cell of the layout window 210 displayed in the layout area 206.

A screen display 400 shown in Figure 4 illustrates that more than one layout window may be displayed in the layout area 206. For example, by suitable operation  
15 of a menu or button in the menu and button bar 214, a layout window 402 may be added to the layout window 210 in the layout area 206. Thus, the designs of notes for printing on different sheets of notes may be viewed without having to exit one layout window and opening another. Also, as shown in Figure 4, the layout window 402 has note cells which are larger than the note cells of the layout window 210. The  
20 difference in size between the note cells of the layout window 210 and the note cells of the layout window 402 illustrates that the note design program 118 may be used to design and print notes of different sizes.

When the layout window 402 in the layout area 206 is active, it is displayed as the topmost layout window in the layout area 206. Accordingly, a sample note may be  
25 imported from the sample area 208 to a note cell of the layout window 402 displayed in the layout area 206. Because this sample note is imported to a note cell of the layout window 402, this sample note also appears in the note design area 204. Therefore, as in the case of the exemplary note shown in Figure 3, the note in the note design area 204 as illustrated in Figure 4 may be customized as desired.

30 As illustrated by the arrow in Figure 4, a note may be imported from a note cell of a layout window displayed in the layout area 206 to a note cell of another layout window displayed in the layout area 206. For example, a note may be imported from a

note cell of the layout window 402 displayed in the layout area 206 to a note cell of the layout window 210 also displayed in the layout area 206 by grabbing, dragging, dropping, clicking, double clicking, or otherwise. Again, when a note is imported from a note cell of one layout window to a note cell of another layout window, all elements  
5 (e.g., such as text and graphic elements) of the imported note are imported together. When a note is imported from the layout window 402 to the layout window 210, the layout window 210 becomes active.

When the layout window 210 is active, the proportions of the note cell displayed in the note design area 204 correspond to the proportions of the note cells  
10 contained in the layout window 210, and when the layout window 402 is active, the proportions of the note cell displayed in the note design area 204 correspond to the proportions of the note cells contained in the layout window 402. Thus, as illustrated by a comparison of Figures 3 and 4, the proportions of the note cell displayed in the note design area 204 when the layout window 210 is active are different than the  
15 proportions of the note cell displayed in the note design area 204 when the layout window 402 is active.

Furthermore, the sample notes contained in the sample area 208 may (but do not necessarily) differ, at least in proportionality if not design, depending upon the proportions of the note cells of the active layout window.

20 A screen display 500 shown in Figure 5 illustrates examples of clip art which may be presented to the user in the sample area 208. This clip art is accessed in the sample area 208 by use, for example, of the scroll bar 212. A piece of clip art is distinguished from a sample note in that a sample note may have a plurality elements, but a piece of clip art is a single element.

25 Each piece of clip art may be imported, such as by grabbing and dragging and dropping, clicking and double clicking, or the like, from the sample area 208 to the note design area 204 and a note cell in a currently active layout window displayed in the layout area 206. Thus, when a piece of clip art is imported to a note cell in a currently active layout window displayed in the layout area 206, the piece of clip art  
30 appears both in the selected note cell of the currently active layout window displayed in the layout area 206 and in the note design area 204. Also, as shown by the arrows

in Figure 5, elements displayed in the note design area 204 may be imported individually to a cell in the layout area 206.

As illustrated by a screen display 600 in Figure 6, a note in a note cell of a layout window displayed in the layout area 206 may be imported to all of note cells in that, or a different, layout window. For example, a note may be imported to all note cells of a layout window by clicking on the note to be imported and by using a fill menu of fill button in the menu and button bar 214. Alternatively, a note may be imported to all note cells of a layout window except for one or more selected note cells. As illustrated in Figure 6, the user has chosen to select a note in a note cell of the layout window 402 and to fill all of the other note cells of the layout window 402 with the selected note.

A flow diagram 700, representing the program code of the note design program 118 which implements the features illustrated in Figures 2-6, is shown in Figure 7. As shown in Figure 7, upon start up, a block 702 initializes the note design program 118. This initialization of the note design program 118 includes displaying the window 202 with the note design area 204, the layout area 206 with a layout window, and the sample area 208 with sample notes. When the window 2-2 is fully displayed, a user may add layout windows to the layout area 206. Accordingly, if a block 704 determines that the user desires to add a layout window, a block 706 displays the additional layout window, in the format selected by the user, in the layout area 206.

After the block 706 displays the additional layout window in the layout area 206, or if the block 704 determines that the user does not, at this time, desire to add an additional layout window to the layout area 206, a block 708 determines whether or not the note design area 204 is active. If the note design area 204 is active, a routine A1 is entered. If the block 708 determines that the note design area 204 is not active, a block 710 determines whether a sample note in the sample area 208 is active. If the block 710 determines that a sample note in the sample area 208 is active, a routine A2 is entered. If the block 710 determines that a sample note in the sample area 208 is not active, a block 712 determines whether a note cell in a selected layout window displayed in the layout area 206 is active. If the block 712 determines that a note cell in a selected layout window displayed in the layout area 206 is active, a routine A3 is

entered. If the block 712 determines that a note cell in a selected layout window displayed in the layout area 206 is not active, or after the routine A1 is performed, or after the routine A2 is performed, or after the routine A3 is performed, program flow returns to the block 704.

5           The routine A1 is illustrated in Figures 8A and 8B. Upon entry of the routine A1 (when the note design area 204 is active), a block 800 determines whether or note the note which is currently selected is to be imported to a cell in the layout area 206 (e.g., by selecting one or more elements of the note in the note design area 204  
10           dragging and dropping, copying and pasting, or clicking the selected elements into another cell in the layout area 206). This is, as discussed above, a note in the note design area 204 also appears in an active note cell in the layout area 206. However, one or more elements of a selected note may be imported to another note cell in the layout area 206. If the block 800 determines that a note is to be copied to a cell in the layout area 206, a block 802 imports the note to the selected cell in the layout area  
15           206. If the block 800 determines that a note is not to be copied to a cell in the layout area 206, a block 804 determines whether a note is to be copied, such as from the note design area 204, to the sample area 208. If the block 804 determines that a note is to be copied to the sample area 208, a block 806 imports the note to the sample area 208. The placement of this note in the sample area 208 may be according to any desired  
20           protocol. Accordingly, a user may create a custom note design by use of the note design area 204 and may import the custom note design to the sample area 208. When such a custom note design is imported to the sample area 208, the custom note design so imported becomes a sample note.

          If the block 804 determines that a note is not to be copied to the sample area  
25           208, a block 808 determines whether one or more note cells of the layout window displayed in the layout area 206 are to be filled with a note such as the note in the design area 204. If so, a block 810 fills (i.e., imports) the selected note cell or cells of the layout window in the layout area 206 with the note.

          If the block 808 determines that one or more note cells of the layout window  
30           displayed in the layout area 206 are not to be filled, a block 812 determines whether text is to be inserted in the note design area 204 (e.g., the user may choose an appropriate menu selection or button in the menu and button bar 214, or the like, to

indicate that text is to be inserted). If the block 812 determines that text is to be inserted into the note design area 204, a block 814 displays an insert cursor and/or box in the note design area 204 and processes any text which the user enters, such as by way of a keyboard of the input devices 106.

- 5           If the block 812 determines that text is not to be inserted, a block 816 determines whether a graphic is to be inserted in the note design area 204. If so, a block 818 processes the graphic to be inserted according to the user's instructions.

Accordingly, text and graphics may be individually inserted into the note design area 204.

- 10           If the block 816 determines that a graphic is not to be inserted in the note design area 204, a block 820 determines whether text in the note design area 204 is selected. For example, the menu and button bar 214 may contain a text button which, when selected, converts the cursor from a typical arrow cursor to a text cursor. The user may then place this cursor at the text in order to select that text. If the block 820  
15           determines that text in the note is selected, a block 822 then processes the text as instructed by the user.

If the block 820 determines that text in the note design area 204 is not selected, a block 824 determines whether a graphic of the note design area 204 is selected. If so, a block 826 processes the selected graphic as instructed by the user.

- 20           After the block 802 imports a note to a selected cell in the layout area 206 and also to the note design area 204, or after the block 806 imports a note to the sample area 208, or after the block 810 fills the selected note cell or cells of the layout window in the layout area 206 with a selected, or after the block 814 displays an insert cursor and/or box in the note design area 204 and processes any text which the user enters, or  
25           after the block 818 processes the graphic to be inserted according to the user's instructions, or after the block 822 processes the text of the note design area 204 as instructed by the user, or if the block 824 determines that a graphic of the note design area 204 is not selected, or after the block 826 processes the selected graphic of the note design area 204 is instructed by the user, program flow returns to the block 704  
30           of Figure 7.

As illustrated in Figure 9, when the routine A2 is entered (e.g., because a note in the sample area 208 is active), a block 900 determines whether a sample note is to

be imported. If so, a block 902 imports the sample note from the sample area 208 to a selected note cell of the layout window displayed in the layout area 206 and to the note design area 204. After the block 902 imports the note from the sample area 208 to the selected note cell of the layout window displayed in the layout area 206 and to the note design area 204, or if the block 900 determines that a sample is not to be imported, program flow returns to the block 704 of Figure 7.

As illustrated in Figure 10, when the routine A3 is entered (e.g., because a layout window in the layout area 206 is active), a block 1000 determines whether to import a note which is currently in a note cell of the active layout window. If so, a block 1002 imports the note from the note cell in the currently active layout window to a note cell of the same layout window displayed in the layout area 206, to a note cell of another layout window displayed in the layout area 206, or to the sample area 208 at the selection of the user. After the block 1002 so imports the note, or if the block 1000 determines that a note is not to be imported, a block 1004 determines whether one or more other note cells of the active layout window displayed in the layout area 206 are to be filled with the imported note. If so, a block 1006 fills the selected note cell or cells of the active layout window in the layout area 206 with the selected note.

If the block 1004 determines that one or more other note cells of the active layout window displayed in the layout area 206 are not to be filled with the imported note, or after the block 1006 fills the selected note cell or cells of the active layout window in the layout area 206 with the selected note, program flow returns to the block 704 of Figure 7.

When each of the note cells in an active layout window displayed in the layout area 206 contains a note as selected and/or designed by the user, and the user wishes to print these notes, the user inserts into the printer 104b a sheet 1100 as illustrated in Figure 11. The sheet 1100 is selected to match the layout window to be printed. The sheet 1100 contains a backing ply 1102 with a plurality of sticky back notes 1100<sub>1</sub> - 1100<sub>6</sub> adhered thereto. The dashed lines shown in Figure 11 illustrate the division between the sticky back notes 1100<sub>1</sub> - 1100<sub>6</sub> and between the sticky back notes 1100<sub>1</sub> - 1100<sub>6</sub> and the backing ply 1102. The sticky back notes 1100<sub>1</sub> - 1100<sub>6</sub> may be adhered to the backing ply 1102 in any manner, such as by an adhesive which is used with any commercially available sticky back notes.

As illustrated in Figure 11, the sticky back notes 1100<sub>1</sub> - 1100<sub>6</sub> do not overlies regions 1104 and 1106 of the backing ply 1102. The region 1104 may contain indicators 1108 in order to indicate to the user the preferred orientation of the sheet 1100 as it is inserted into the printer 104b.

5        Once the sheet 1100 is inserted into the printer 104b, the user may select a print command from the menu and button bar 214 in order to print the notes which the user has designed with the assistance of the sample notes in the sample area 208 and/or which the user has custom designed.

Certain modifications of the present invention have been discussed above.

10      Other modifications will occur to those practicing in the art of the present invention. For example, while the environment has been described above with respect to the data processing system 100, it should be noted that the present invention can be used in any other operating environment.

Also, the screen display 200 illustrates one arrangement for the note design area 204, the layout area 206, and the sample area 208 contained in the window 202. However, the note design area 204, the layout area 206, and the sample area 208 may be arranged differently within the window 202. In addition, the note design area 204, the layout area 206, and the sample area 208 may be arranged in a format other than a window format.

20        Moreover, as described above, when a selected sample note is imported from the sample area 208 to a note cell of a layout window displayed in the layout area 206, the selected sample note is also imported to the note design area 204. However, the selected sample note, when imported from the sample area 208 to a note cell of a layout window displayed in the layout area 206 need not also be imported to the note design area 204. Alternatively, or additionally, the note design program 118 may offer the user an option of selecting whether a selected sample note, which is to be imported from the sample area 208 to a note cell of a layout window displayed in the layout area 206, is to be imported both to a note cell of a layout window displayed in the layout area 206 and to the note design area 204, or only to a note cell of a layout window displayed in the layout area 206, or only to the note design area 204.

30        Furthermore, as described above, all elements of a note may be imported together from certain areas (i.e., the layout area 206 and the sample area 208) to



another area. It is also possible to import a single element of a note from these areas to another area. For example, an element of a note to be imported to another area may be highlighted, cut from its current area, and pasted into its target area. Alternatively, an element of a notes to be imported to another area may be highlighted and may be imported to the target area by double clicking on the target area. Other means of importing single elements of a note from one area to another are possible.

In addition, according to the description above, a note in the note design area 204 may be imported to the sample area 208 to become a sample note. A note in a note cell of a layout window in the layout area 206 may also be imported to the sample area 208 to become a sample note. Moreover, instead of importing all elements of a note together when the note is imported from one area to another, fewer than all elements may be imported together. For example, when a note is imported from one area to another, only predetermined text and graphics of the note are imported together.

Furthermore, as described above, a note may be dragged or otherwise imported from a note cell of one layout window to a note cell of another layout window displayed in the layout area 206. In addition, a note may be dragged or otherwise imported from a note cell of a layout window to another note cell of the same layout window.

Also, as described above, a single piece of clip art may be imported from the sample area 208 to the note design area 204 and a note cell in a currently active layout window displayed in the layout area 206. However, the note design program 118 may be configured so as to permit plural pieces of clip art to be moved together. For example, it is possible to move plural pieces of clip art together by shift-clicking on a first piece of clip art, by shift-clicking on a second piece of clip art, by selecting Cut from an Edit menu, and by pasting the first and second pieces of clip art in the target area where they are to be imported. Copies of the first and second pieces of clip art thereby appear in the target area.

Moreover, as discussed above, a note in a note cell of a layout window displayed in the layout area 206 may be imported to all cells in that or a different layout window. Alternatively, or additionally, a note in a note cell of a layout window displayed in the layout area 206 may be imported to a selected number of note cells in

that, or a different, layout window. Likewise, a note in the design area 204 or in the sample area 208 may be imported to all or a selected number of note cells in a layout window.

5 In addition, as described above, when the routine A2 is entered, a note may be imported from the sample area 208 to a selected note cell of the layout window displayed in the layout area 206 and to the note design area 204. The routine A2 may also be configured to determine whether other note cells of the layout window displayed in the layout area 206 are to be filled with the imported note. If so, the other cells of the layout window in the layout area 206 are filled with the imported note.

10 Accordingly, the description of the present invention is to be construed as illustrative only and is for the purpose of teaching those skilled in the art the best mode of carrying out the invention. The details may be varied substantially without departing from the spirit of the invention, and the exclusive use of all modifications which are within the scope of the appended claims is reserved.

**CLAIMS**

1. A method of designing notes comprising the steps, performed by a data processing system, of;

5 a) executing program code in the data processing system so that a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a note to be designed;

b) executing program code in the data processing system so that a design area is displayed with the layout area, wherein the design area is an area where a note may be designed; and

10 c) executing program code in the data processing system so that a sample area is displayed with the layout area and the design area, wherein the sample area contains a sample note.

2. The method of claim 1 comprising the further step of executing program  
15 code so that the sample note is imported from the sample area to the design area.

3. The method of claim 2 wherein the step of executing program code so that the sample note is imported from the sample area to the design area comprises the step of executing program code so that the sample note is dragged from the sample area to  
20 the design area.

4. The method of claim 3 wherein the sample note design has first and second elements, wherein the first and second elements are different, and wherein the step of executing program code so that the sample note is dragged from the sample area to the  
25 design area comprises the step of executing program code so that the first and second elements are dragged together from the sample area to the design area.

5. The method of claim 4 wherein the first element is a graphic element, and wherein the second element is a text element.

30

6. The method of claim 2 wherein the step of executing program code so that the sample note is imported from the sample area to the design area comprises the

steps of (i) executing program code so that the sample note is selected, and (ii) executing program code so as to import the selected sample note from the sample area to the design area.

5           7. The method of claim 6 wherein the selected sample note has first and second elements, wherein the first and second elements are different, and wherein step (ii) comprises the step of executing program code so as to import the first and second elements together from the sample area to the design area.

10           8. The method of claim 7 wherein the first element is a graphic element, and wherein the second element is a text element.

          9. The method of claim 2 wherein the sample note has first and second elements, wherein the first and second elements are different, and wherein the step of  
15   executing program code so that the sample note is imported from the sample area to the design area comprises the step of executing program code so that the first and second elements are imported together from the sample area to the design area.

          10. The method of claim 9 wherein the first element is a graphic element, and  
20   wherein the second element is a text element.

          11. The method of claim 1 comprising the further step of executing program code so that the sample note is imported from the sample area to a selected note cell of the layout area.

25           12. The method of claim 11 wherein the step of executing program code so that the sample note is imported from the sample area to a selected note cell of the layout area comprises the step of executing program code so that the sample note is dragged from the sample area to the selected note cell of the layout area.

30           13. The method of claim 12 wherein the sample note has first and second elements, wherein the first and second elements are different, and wherein the step of

executing program code so that the sample note is dragged from the sample area to a selected note cell of the layout area comprises the step of executing program code so that the first and second elements are dragged together from the sample area to the selected note cell of the layout area.

5

14. The method of claim 13 wherein the first element is a graphic element, and wherein the second element is a text element.

15. The method of claim 11 wherein the step of executing program code so that the sample note is imported from the sample area to a selected note cell of the layout area comprises the steps of (i) executing program code so that the sample note is selected, and (ii) executing program code so as to import the selected sample note from the sample area to the selected note cell of the layout area.

15 16. The method of claim 15 wherein the sample note has first and second elements, wherein the first and second elements are different, and wherein step (ii) comprises the step of executing program code so as to import the first and second elements together from the sample area to the selected note cell of the layout area.

20 17. The method of claim 16 wherein the first element is a graphic element, and wherein the second element is a text element.

18. The method of claim 11 wherein the sample note has first and second elements, wherein the first and second elements are different, and wherein the step of  
25 executing program code so that the sample note is imported from the sample area to a selected note cell of the layout area comprises the step of executing program code so that the first and second elements are imported together from the sample area to the selected note cell of the layout area.

30 19. The method of claim 18 wherein the first element is a graphic element, and wherein the second element is a text element.

20. The method of claim 1 comprising the further step of executing program code so that the sample note can be imported from the sample area to either the design area or a selected note cell of the layout area.

5        21. The method of claim 20 wherein the step of executing program code so that the sample note can be imported from the sample area to either the design area or a selected note cell of the layout area comprises the step of executing program code so that the sample note can be dragged from the sample area to either the design area or the selected note cell of the layout area.

10        22. The method of claim 21 wherein the sample note has first and second elements, wherein the first and second elements are different, and wherein the step of executing program code so that the sample note can be dragged from the sample area to either the design area or a selected note cell of the layout area comprises the step of  
15        executing program code so that the first and second elements are dragged together from the sample area to either the design area or the selected note cell of the layout area.

20        23. The method of claim 22 wherein the first element is a graphic element, and wherein the second element is a text element.

25        24. The method of claim 20 wherein the step of executing program code so that the sample note can be imported from the sample area to either the design area or a selected note cell of the layout area comprises the steps of (i) executing program code so that the sample note is selected, and (ii) executing program code so as to  
import the selected sample note from the sample area to either the design area or the selected note cell of the layout area.

30        25. The method of claim 24 wherein the sample note has first and second elements, wherein the first and second elements are different, and wherein step (ii) comprises the step of executing program code so as to import the first and second

elements together from the sample area to either the selected design area or the selected note cell of the layout area.

26. The method of claim 25 wherein the first element is a graphic element, and  
5 wherein the second element is a text element.

27. The method of claim 20 wherein the sample note has first and second  
elements, wherein the first and second elements are different, and wherein the step of  
executing program code so that the sample note can be imported from the sample area  
10 to either the design area or a selected note cell of the layout area comprises the step of  
executing program code so that the first and second elements are imported together  
from the sample area to either the design area or the selected note cell of the layout  
area.

28. The method of claim 27 wherein the first element is a graphic element, and  
15 wherein the second element is a text element.

29. The method of claim 1 further comprising the step of executing program  
code so that a user originated note design may be created in the design area.  
20

30. The method of claim 29 further comprising the step of executing program  
code so that the user originated note design is imported to the sample area as a further  
sample note.

31. The method of claim 30 wherein the user originated note design has first  
and second elements, wherein the first and second elements are different, and wherein  
the step of executing program code so that the user originated note design is imported  
to the sample area as a further sample note comprises the step of executing program  
code so that the first and second elements are imported together to the sample area.  
25  
30

32. The method of claim 31 wherein the first element is a graphic element, and  
wherein the second element is a text element.

33. The method of claim 29 comprising the further step of executing program code so that a sample note is imported from the sample area to the design area.

5        34. The method of claim 29 comprising the further step of executing program code so that a sample note is imported from the sample area to a selected note cell of the layout area.

10       35. The method of claim 29 comprising the further step of executing program code so that a sample note can be imported from the sample area to either the design area or a selected note cell of the layout area.

15       36. The method of claim 29 further comprising the step of executing program code so that the user originated note design is imported to a note cell of the layout area.

20       37. The method of claim 36 wherein the user originated note design has first and second elements, wherein the first and second elements are different, and wherein the step of executing program code so that the user originated note design is imported to a note cell of the layout area comprises the step of executing program code so that the first and second elements are imported together to the note cell of the layout area.

25       38. The method of claim 1 comprising the further step of executing program code so that a note design is imported from a first note cell of the layout area to a second note cell of the layout area.

30       39. The method of claim 38 wherein the note design has first and second elements, wherein the first and second elements are different, and wherein the step of executing program code so that the note design is imported from a first note cell of the layout area to a second note cell of the layout area comprises the step of executing program code so that the first and second elements are imported together from the first note cell of the layout area to the second note cell of the layout area.



40. The method of claim 39 wherein the first element is a graphic element, and wherein the second element is a text element.

5           41. The method of claim 38 further comprising the step of executing program code so that a user originated note design may be created in the design area.

          42. The method of claim 41 further comprising the step of executing program code so that the user originated note design is imported to the sample area as a further  
10       sample note.

          43. The method of claim 38 comprising the further step of executing program code so that the sample note is imported from the sample area to the design area.

15           44. The method of claim 38 comprising the further step of executing program code so that the sample note is imported from the sample area to a selected note cell of the layout area.

          45. The method of claim 38 comprising the further step of executing program  
20       code so that the sample note can be imported from the sample area to either the design area or a selected note cell of the layout area.

          46. The method of claim 1 further comprising the step of executing program code so that note cells of the layout area are selected and so that the selected note cells  
25       are filled in with a selected note design in response to a single instruction.

          47. The method of claim 1 further comprising the step of executing program code so that one or more note cells of the layout area are selected and so that all note cells except for the selected note cells are filled in with a selected note design in  
30       response to a single instruction.

48. The method of claim 1 comprising the further step of executing program code so that a note design is imported between the layout area and the design area.

5 49. The method of claim 48 wherein the note design has first and second elements, wherein the first and second elements are different, and wherein the step of executing program code so that the note design is imported between the layout area and the design area comprises the step of executing program code so that the first and second elements are imported together between the layout area and the design area.

10 50. The method of claim 49 wherein the first element is a graphic element, and wherein the second element is a text element.

15 51. The method of claim 48 comprising the further step of executing program code so that a note design is imported from a first note cell of the layout area to a second note cell of the layout area.

52. The method of claim 48 further comprising the step of executing program code so that a user originated note design may be created in the design area.

20 53. The method of claim 48 comprising the further step of executing program code so that the sample note is imported from the sample area to the design area.

25 54. The method of claim 48 comprising the further step of executing program code so that the sample note is imported from the sample area to a selected note cell of the layout area.

55. The method of claim 48 comprising the further step of executing program code so that the sample note can be imported from the sample area either to the design area or to a selected note cell of the layout area.

30 56. A method of designing notes comprising the steps, performed by a data processing system, of:

a) executing program code in the data processing system so that a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a note to be designed;

5 b) executing program code in the data processing system so that a design area is displayed with the layout area, wherein the design area is an area where a note may be designed; and

c) executing program code in the data processing system so that a note design may be imported between the design area and a note cell of the layout area.

10 57. The method of claim 56 wherein the step of executing program code in the data processing system so that a note design may be imported between the design area and a note cell of the layout area comprises the step of executing program code so that a note design is imported from the design area to a selected note cell of the layout area.

15 58. The method of claim 57 wherein the step of executing program code so that a note design is imported from the design area to a selected note cell of the layout area comprises the step of executing program code so that a note design is dragged from the design area to the selected note cell of the layout area.

20 59. The method of claim 56 further comprising the step of executing program code so that a user originated note design may be created in the design area.

25 60. The method of claim 56 comprising the further step of executing program code so that a note design is imported from a first note cell of the layout area to a second note cell of the layout area.

30 61. The method of claim 56 further comprising the step of executing program code so that note cells of the layout area are selected and so that the selected note cells are filled in with a selected note design in response to a single instruction.

62. The method of claim 56 further comprising the step of executing program code so that one or more note cells of the layout area are selected and so that all note

cells except for the selected note cells are filled in with a selected note design in response to a single instruction.

63. The method of claim 56 wherein the note design has first and second elements, wherein the first and second elements are different, and wherein the step of executing program code so that a note design may be imported between the design area and a note cell of the layout area comprises the step of executing program code so that the first and second elements are imported together between the design area and a note cell of the layout area.

64. The method of claim 63 wherein the first element is a graphic element, and wherein the second element is a text element.

65. A method of designing notes comprising the steps, performed by a data processing system, of:

a) executing program code in the data processing system so that a sample area is displayed, wherein the sample area contains a sample note, wherein the sample note has first and second elements, and wherein the first and second elements are different;

b) executing program code in the data processing system so that a design area is displayed with the sample area, wherein the design area is an area where a note may be designed; and

c) executing program code in the data processing system so that the first and second elements are dragged together from the sample area to the design area.

66. The method of claim 65 wherein the first element is a graphic element, and wherein the second element is a text element.

67. The method of claim 65 further comprising the step of executing program code so that a user originated note design may be created in the design area.

68. The method of claim 65 further comprising the steps of executing program code so that a layout area having note cells is displayed with the sample area and the

design area, executing program code so that note cells of the layout area are selected, and executing program code so that the selected note cells are filled in with a selected note design in response to a single instruction.

5           69. The method of claim 65 further comprising the steps of executing program code so that a layout area having notes cells is displayed with the sample area and the design area, executing program code so that one or more note cells of the layout area are selected, and executing program code so that all note cells except for the selected note cells are filled in with a selected note design in response to a single instruction.

10

70. A method of designing notes comprising the steps, performed by a data processing system, of:

a) executing program code in the data processing system so that a sample area is displayed, wherein the sample area contains sample notes;

15           b) executing program code in the data processing system so that a design area is displayed with the sample area, wherein the design area is an area where a note may be designed by a user; and,

c) executing program code in the data processing system so that a user designed note is imported to the sample area to become a sample note.

20

71. The method of claim 70 wherein the user designed note has first and second elements, wherein the first and second elements are different, and wherein the step of executing program code so that a user designed note is imported from design area to the sample area comprises the step of executing program code so that the first and second elements are imported together from the design area to the sample area.

25

72. The method of claim 71 wherein the first element is a graphic element, and wherein the second element is a text element.

30           73. The method of claim 70 wherein the step of executing program code in the data processing system so that a user designed note is imported from the design area to the sample area comprises the step of executing program code so that the user designed note is dragged from the design area to the sample area.

74. The method of claim 70 further comprising the steps of executing program code so that a layout area having note cells is displayed with the sample area and the design area, executing program code so that note cells of the layout area are selected, and executing program code so that the selected note cells are filled in with a selected note design in response to a single instruction.

75. The method of claim 70 further comprising the steps of executing program code so that a layout area having note cells is displayed with the sample area and the design area, executing program code so that one or more note cells of the layout are selected, and executing program code so that all note cells except for the selected note cells are filled in with a selected note design in response to a single instruction.

76. An article of manufacture comprising:  
a computer readable storage medium; and,  
program code stored on the computer readable storage medium, wherein the program code is arranged so that, when the program code is executed, (i) a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a note to be designed, (ii) a design area is displayed with the layout area, wherein the design area is an area where a note may be designed, (iii) and a sample area is displayed with the layout area and the design area, wherein the sample area contains a sample note.

77. A computer readable storage medium having program code stored thereon, wherein the program code is arranged so that, when the program code is executed, (i) a layout area is displayed, wherein the layout area has a plurality of note cells, and wherein each note cell corresponds to a note to be designed, (ii) a design area is displayed with the layout area, wherein the design area is an area where a note may be designed, (iii) and a note design may be imported between the design area and a note cell of the layout area.

78. An article of manufacture comprising:

a computer readable storage medium; and,

program code stored on the computer readable storage medium, wherein the program code is arranged so that, when the program code is executed, (i) a sample area is displayed, wherein the sample area contains a sample note, wherein the sample  
5 note has first and second elements, and wherein the first and second elements are different, (ii) a design area is displayed, wherein the design area is an area where a note may be designed, and (iii) the first and second elements are dragged together from the sample area to the design area.

10 79. A computer readable storage medium having program code stored thereon, wherein the program code is arranged so that, when the program code is executed, (i) a sample area is displayed, wherein the sample area contains sample notes, (ii) a design area is displayed with the sample area, wherein the design area is an  
15 area where a note may be designed by a user, and (iii) a user designed note is imported to the sample area to become a sample note.

80. A computer readable storage medium having program code stored thereon, wherein the program code is arranged so that, when the program code is executed, (i) first and second areas are displayed, (ii) the first area has multiple  
20 elements therein, (iii) the second area has multiple elements therein, (iv) the first area is arranged so that all elements in the first area can be selected only as a groups, and (iv) the second area is arranged so that the elements in the first area can be selected individually.

25 81. The computer readable storage medium of claim 80 wherein the first area is a note layout area and the second area is a note design area.

82. The computer readable storage medium of claim 80 wherein the first area is a sample note area and the second area is a note design area.

30

83. The computer readable storage medium of claim 80 wherein the program code is arranged so that, when the program code is executed, a third area is displayed,

wherein the third area is arranged so that all elements in the third area can be selected only as a group, wherein the first area is a note layout area, wherein the second area is a note design area, and wherein the third area is a sample note area.



1/12




Fig.1

2/12




Fig.2

3/12




Fig.3

4/12




Fig.4

5/12




Fig. 5

6/12





Fig. 6

7/12






Fig.8A






Fig.8B

10/12




Fig.9

11/12




Fig.10




Fig.11

SUBSTITUTE SHEET (RULE 26)

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 96/14299

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 6 G06F17/21 G06T11/00 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 G06F G06T

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	PATENT ABSTRACTS OF JAPAN vol. 096, no. 007, 22 March 1996 & JP 08 077242 A (EE I SOFUTO KK) see abstract	1-83
Y	EP 0 632 408 A (GAY CLIVE HENRY ; FRENCKEN HENRI WILHELMUS (GB)) 4 January 1995 see abstract; claims 1,12,13	1-83
A	WO 95 29463 A (BRITISH TELECOMM ; UTTON PETER COVINGTON (GB); SANDERS PAUL MAURICE) 2 November 1995 see abstract; claims 1,7 see page 4, line 30 - page 7, line 2; figure 4	1,56,65, 70,76-80
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- \*&\* document member of the same patent family

Date of the actual completion of the international search

1 August 1997

Date of mailing of the international search report

18.08.97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+ 31-70) 340-3016

Authorized officer

Suendermann, R

# INTERNATIONAL SEARCH REPORT

Inter- national Application No  
PCI/US 96/14299

**C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 34, no. 6, November 1991, NEW YORK, US, pages 32-33, XP000228340 ANONYMOUS: "Build a Check." see abstract ---	1,56,65, 70,76-80
A	BYTE, SPRING 1993, USA, vol. 18, no. 5, ISSN 0360-5280, pages 91-93, XP002036709 BRYAN J: "Desktop publishing made easy: Windows desktop publishing is more accessible than ever" see page 92, column 1, line 19 - line 28 ---	1,56,65, 70,76-80
A	US 4 718 784 A (DRISKO JAMES E) 12 January 1988 see abstract ---	1,56,65, 70,76-80
A	WO 92 21097 A (INSCRIBE INC) 26 November 1992 see abstract -----	1,56,65, 70,76-80